1

Notice of Allowability	Application No.	Applicant(s)
	10/807,702	HARPER, BRUCE M.
	Examiner	Art Unit
	Thu Khanh T. Nguyen	1722
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>a respond filed 10/25/06</u> .		
2. The allowed claim(s) is/are <u>1-22 and 38-42</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. X CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 20061125.		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	- -	
1. Notice of References Cited (PTO-892)	5. Notice of Informal Pa	• •
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary (Paper No./Mail Date	e
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛭 Examiner's Amendm	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statement of Reasons for Allowance	
	9.	

Application/Control Number: 10/807,702 Page 2

Art Unit: 1722

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR
 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the specification, page 8, paragraph [0024], change "motors 161 and 171" to motors 162 and 172.

- 2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: insert lable "Prior Art" to Figure 1. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.
- 3. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because the submitted drawings are informal. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Allowable Subject Matter

- 4. Claims 1-22 and 38-42 are allowed over the prior art of record.
- 5. The following is an examiner's statement of reasons for allowance:

The prior art fails to teach or suggest a molding apparatus comprising a flexure member connected to a position adjustment mechanism at one end and to a die at the other end for

Art Unit: 1722

aligning the die along a first axis as the die is adjusted (claim 1) or pressed (claim 38) along a second axis perpendicular to the first axis.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thu Khanh T. Nguyen whose telephone number is 571-272-1136. The examiner can normally be reached on Monday- Friday, 6:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gupta Yogendra can be reached on 571-272-1316. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TN 11/25/06 U VOGENOMA N. GUM... JUPENVISCRY PATENT ECHNOMIER VECHNOLOGY CENTER 1709